

DATE: \_\_\_\_\_

**DENTAL PROCEDURES – INSTRUCTION FOR CARDIAC PATIENTS:**

NAME: \_\_\_\_\_ DOB: \_\_\_\_\_

**ANTIBIOTIC PROPHYLAXIS:** Unnecessary / Necessary

Oral regimen (given 1 hour before procedure)

- \_\_\_\_\_ a) Amoxicillin 2.0 gms
- \_\_\_\_\_ b) Clarithromycin (Biaxin) 500 mg
- \_\_\_\_\_ c) Azithromycin (Zithromax) 500 mg
- \_\_\_\_\_ d) Cephalexin (Keflex) 2 gms
- \_\_\_\_\_ e) Cefadroxil (Duricef) 2 gms
- \_\_\_\_\_ f) Clindamycin (Cleocin) 600 mg

Parenteral regime (given 30 minutes before procedure)

- \_\_\_\_\_ a) Ampicillin 2 gms
- \_\_\_\_\_ b) Cefazolin (Ancef) 1 gm IM or IV
- \_\_\_\_\_ c) Clindamycin 600 mg IV

**ANTICOAGULANTS:** No \_\_\_\_\_ Yes \_\_\_\_\_

\_\_\_\_\_ **Coumadin** Stop \_\_\_\_\_ days before procedure.  
RESUME PREVIOUS DOSE IMMEDIATELY AFTERWARDS.

\_\_\_\_\_ **Aspirin/Ticlid/Persantine** Stop \_\_\_\_\_ days before procedure.

LOCAL ANESTHESIA WITH EPINEPHRINE: No \_\_\_\_\_ Yes \_\_\_\_\_

**SPECIAL PRECAUTIONS:**

---

---